

Ise Wan Vessel Traffic Service Center

“ISEWAN MARTIS”

USER MANUAL



海上保安庁
JAPAN COAST GUARD

ISE WAN VESSEL TRAFFIC SERVICE CENTER
“ISE WAN MARTIS”
USER MANUAL

TABLE OF CONTENTS

I	INTRODUCTION	1
II	OPERATIONAL CONCEPT OF THE "ISE WAN MARTIS"	2
III	IMPORTANT NAVIGATIONAL RULES	2
IV	COMMUNICATION	5
1	VHF Channels	
2	Languages	
V	PRE-ENTRY REPORT AND POSITION REPORT	5
1	Pre-Entry Report of one day advance (By noon of the day before the day of arrival)	
2	Pre-Entry Report of three-hour advance	
3	Instructions to a very large vessel, etc	
4	Position Report	
5	Information Service Area and Monitoring of Vessel Traffic	
VI	SERVICES PROVIDED BY VHF RADIOTELEPHONE	9
1	Message Markers	
2	Type of Information services within the Information service area	
3	Information monitoring requirement within the VHF stand by area	
4	Advice	
5	Instruction	
VII	OTHER MEANS OF INFORMATION SERVICES	1 3
1	Automatic Identification System (AIS)	
2	Radio Broadcast	
3	Internet Homepage	
VIII	Irago Suido Traffic route TRAFFIC SIGNAL STATION	1 3
1	Position	
2	Meaning of signals	

ISE WAN VESSEL TRAFFIC SERVICE CENTER "ISE MARTIS" USER MANUAL

I INTRODUCTION

Ise-Wan Vessel Traffic Service Center, "Ise-Wan MARTIS", whose mission is to maintain and improve safety and efficiency of vessel traffic in the Irago channel and its vicinity, has been established and operated by Japan Coast Guard. This User manual aims at contributing to safe navigation of vessels by explaining about services provided by "Ise-Wan MARTIS" and essential information while navigating in the Irago channel and its vicinity. Vessels navigating in the Irago channel are highly recommended to carry this manual in the bridge and utilize as a reference book.

The Ise-Wan MARTIS is operated in accordance with acts, cabinet orders, ministerial ordinance, public notices and administrative guidance listed below. Exact application of rules should be referred to these regulations.

- Act on Aids to Navigation
- Act on Maritime Traffic Safety
- Cabinet Order for Enforcement of the Act on Maritime Traffic Safety
- Ordinance for Enforcement of the Act on Maritime Traffic Safety
- "Designation of the Routes, referred in paragraph 2, article 25 of the Act on Maritime Traffic Safety" (Japan Coast Guard Public Notice No. 92, in 2010)
- "Codes to indicate necessary information to inform other vessels of the destination information and the way, referred in paragraph 4, article 6 of the Ordinance for Enforcement of the Act on Maritime Traffic Safety" (Japan Coast Guard Public Notice No. 95, in 2010)
- "Public Notice on the Procedure of the Report related to the Navigation of a very large vessel, etc." (Japan Coast Guard Public Notice No. 109, in 1973)
- "Public Notice on the Standards of Details of the Instruction Related to Arrangement of the Forward Lookout Boat, the Boat with Fire Fighting Equipment or the Side Lookout Boat" (Japan Coast Guard Public Notice No. 29, in 1976)
- "Public Notice on the Designation of the Forward Lookout Boat, the Boat with Fire Fighting Equipment and the Side Lookout Boat" (Japan Coast Guard Public Notice No. 76, in 1976)
- "Public Notice on the Procedure of instruction referred in article 8-2 of the Ordinance for Enforcement of the Act on Port Regulations and etc." (Japan Coast Guard Public Notice No. 163, in 2010)
- "Public Notice on the Procedure of Provision of Information, etc. Advice conducted by the Ise-Wan Vessel Traffic Service Center and the Irago-Misaki Vessel Traffic

Signal Station which is operated by the Ise-Wan Vessel Traffic Service Center"
(Japan Coast Guard Public Notice No. 166, in 2010)

II OPERATIONAL CONCEPT OF THE "ISE-WAN MARTIS"

Ise-Wan MARTIS maintains and improves vessel traffic safety of the Irago channel and its vicinity by

- ① collecting, verifying and monitoring vessel traffic information by sensors such as RADAR, ITV, AIS and VHF radiotelephone,
- ② providing information which is necessary for safety of vessels,
- ③ providing navigational advice to vessels when it is considered necessary to avoid imminent danger or possibility of violation of traffic rules,
- ④ instructing vessels to stand by outside of the traffic route in case when visibility is restricted, instructing the permission or arrange the time of entry into the traffic route and in other cases specified by the Act on Maritime Traffic Safety.


In addition to VHF radio communication, Ise-Wan MARTIS provides navigational assistance information by radio broadcast and INTERNET Homepage.

III IMPORTANT NAVIGATIONAL RULES

Establishment of the traffic route and navigational rules of the Irago channel and its vicinity are regulated by the Act on Maritime Traffic Safety and relating regulations and public notices as local rules. Other than specifically regulated by these regulations, the Act for Preventing

Collision at Sea, which is Japanese Law for the International Regulation for Preventing Collision at Sea, is applied. The traffic route in the Irago channel is shown in the figure on the previous page.

Important navigational rules, which are regulated by the Act on Maritime Traffic Safety and applied in the Irago channel and its vicinity, are explained below. As these explanations cover only major rules, it is recommended to refer to the Act and related regulations for exact application of these rules.



① Compulsory Usage of the Traffic Route

When a vessel of 50 meters and upwards in length, goes through the area in which traffic routes are established, she shall use those traffic route(s); provided, however, that this shall not apply to the cases in which compelling reasons exist such as keeping away from a marine accident or engaging in the rescue of human lives or other vessel.

② Keeping out of the way of the other vessel

- i When a vessel is entering into a traffic route, going out of a traffic route, crossing a traffic route or not navigating along a traffic route (except a vessel engaging in fishing, construction work or any other work (hereinafter referred to as "a fishing vessel, etc.")), so as to involve risk of collision with a vessel navigating along the traffic route, the former vessel shall keep out of the way of the latter.

In this case, the provisions of paragraph 2 of article 9, paragraph 1 of article 12, paragraph 1 of article 13, paragraph 1 of article 14, the first sentence of paragraph 1 of article 15 and paragraph 1 (limited to item 4) of article 18 of the Act on Preventing Collisions at Sea are not applied to that latter vessel.

- ii When a fishing vessel, etc. is entering into a traffic route, going out of a traffic route, crossing a traffic route or not navigating along a traffic route or a vessel is drifting in a traffic route, so as to involve risk of collision with a very large vessel ("a very large vessel" means a vessel of 200 meters and upwards in length. The same shall apply hereinafter.) which is navigating along the traffic route, that fishing vessel, etc. or that drifting vessel shall keep out of the way of that very large vessel.

In this case, the provisions of paragraph 2 and 3 of article 9, paragraph 1 of article 13, paragraph 1 of article 14, the first sentence of paragraph 1 of article 15 and paragraph 1 (limited to item 3 and 4) of article 18 of the Act on Preventing Collisions at Sea are not applied to that very large vessel.

③ Essential navigation rules of the Irago Suido Traffic route A vessel shall navigate right side of the route as applicable.

④ Limitation of navigation speed

A vessel (except a vessel which is crossing the traffic route) shall not navigate at a speed of more than 12 knots through the water in the Irago Suido Traffic route.

Provided, however, that this shall not apply to the cases in which compelling reasons exist such as keeping away from a marine accident or engaging in the rescue of human lives or other vessel.

⑤ Designated tracks in the vicinity of the traffic route entrances

Pursuant to the Act on Maritime Traffic Safety, in the vicinity of entrances of the

Irago Suido Traffic route, a vessel shall take any applicable track(s) explained below. (See attached figure 1)

- i Vicinity of the south entrance of the Irago Suido Traffic route
 - a) A vessel which goes out the Irago Suido Traffic route and navigates southbound shall navigate the west side of the line "B" and cross the line "D".
 - b) A vessel which intends to enter the Irago Suido Traffic route from the south shall navigate the east side of the line "B" and cross the line "E".
- ii Vicinity of the north entrance of the Irago Suido Traffic route
 - a) A vessel which intends to enter the Irago Suido Traffic route from the north shall navigate the west side of the line "A" and cross the line "C".
 - b) A vessel which goes out the Irago Suido Traffic route and navigates northbound shall navigate the east side of the line "A", and cross the line "F".

⑥ Transmitting destination information by AIS

When a vessel which is equipped with AIS navigates in the Irago channel and its vicinity, that vessel shall transmit the code of the destination port as the destination information of the AIS in order to inform other vessels of the route of that vessel.

The destination codes are shown in attached reference 1.

⑦ Route signal

When a vessel of 100 tons gross tonnage and upwards is entering into a traffic route or going out a traffic route, that vessel shall inform her route to other neighboring vessels by designated international signal flags in the day time and signals on her whistle in the night time. (See attached Reference 2)

⑧ Lights, shapes and flags for a very large vessel and a dangerous goods carrying vessel

A very large vessel or a dangerous goods carrying vessel shall each exhibit following light, shapes or flags while navigating, drifting or anchoring in the Ise-Wan.

- i A very large vessel
 - a) A light to be exhibited in the night time
 - A green all-round flashing light which flashes at regular intervals of a frequency of 180 and upwards but not more than 200 flashes per minute with 2 miles of minimum range of visibility
 - b) Shapes to be exhibited in the day time
 - 2 cylinders apart 1.5 meters and upwards in a vertical line (A cylinder shall be black and have a diameter of 0.6 meters and upwards and height of twice the diameter.)
- ii A dangerous goods carrying vessel
 - a) A light to be exhibited in the night time
 - A red all-round flashing light which flashes at regular intervals of a

frequency of 120 and upwards but not more than 140 flashes per minute with
2 miles of minimum range of visibility

b) Flags to be exhibited in the day time

The international signal flags "No. 1 substitute" and alphabetical flag "B"
from upper in sequence

IV COMMUNICATION

1 VHF Channels

VHF channels to communicate with Ise-Wan MARTIS are as follows. Ise-Wan MARTIS monitors channels 16 and 13 all the time. Vessels equipped with VHF radiotelephone are strongly recommended to monitor channels 16 and 13 while navigating within the information service area of Ise-Wan MARTIS.

Channel 16: calling and response

Channel 13: calling and communication

Channel 14, 66: communication

2 Communication Languages

Japanese and English

V PRE-ENTRY REPORT AND POSITION REPORT

1 PRE-ENTRY REPORT OF ONE DAY ADVANCE

① Vessels with obligation to report

Pursuant to the Act on Maritime Traffic Safety, when each of following vessels intends to navigate the Irago Suido Traffic Route, the master of that vessel shall submit the pre-entry report of one day advance to Ise-Wan MARTIS by the noon of the day before the day of arrival at the traffic route entrance.

When any changes occur in the report, they shall be reported 3 hours before the time of entering the traffic route. If any other changes occur after that, they shall be reported as soon as possible.

a) a very large vessel

b) a vessel of 130 meters and upwards in length (except a very large vessel)

c) a vessel of 25,000 tons gross tonnage and upwards carrying liquefied gas

d) a vessel towing or pushing any objects such as vessels or rafts, and the length between the front end of the towing vessel and the after end of the object or between the after end of the pushing vessel and the front end of the object is 200 meters and upwards (hereinafter referred to as "an object towing vessel, etc.")

② Items to be reported

A vessel with report obligation shall report applicable items among following items.

a) vessel's name, gross tonnage and length

- b) section of the traffic route where the vessel is going to navigate, ETA at the entrance of the traffic route, ETD from the traffic route
- c) signal letters or call sign of the vessel (applied to a vessel equipped with radiotelephone apparatus)
- d) means of communication with Japan Coast Guard (applied to a vessel without radio apparatus)
- e) destination port
- f) draft (applied to a very large vessel)
- g) dangerous goods being carried (applied to the vessel prescribed in section V ① c) of this user manual)
- h) length between the front end of the towing vessel and the after end of the object or between the after end of the pushing vessel and the front end of the object, outline of the object (applied to the vessel prescribed in section V ① d) of this user manual)

③ Addressee and means of report

i Addressee

Ise-Wan Vessel Traffic Service Center ("Ise-Wan MARTIS")

ii Means of report

When a master submits the pre-entry report, one of following means may be chosen.

a) Submitted in writing

Please fill in the report form and bring it to any of the Japan Coast Guard offices or mail it to Ise-Wan MARTIS.

〒 441-3624 2814-38 Koyama, Irigo-cho, Tahara-City, Aichi Prefecture

b) telephone

0531-34-2443

c) e-mail

Please contact the MARTIS.

d) radio communication

Please contact with a Japan Coast Guard radio station ("Nagoya Coast Guard Radio")

Frequencies: 156.8 MHz, 2189.5 KHz

2 PRE-ENTRY REPORT OF 3-HOUR ADVANCE

① Vessels with obligation to report

Pursuant to the Act on Maritime Traffic Safety, when a dangerous goods carrying vessel (except vessels prescribed in V. 1. ① of this user manual) intends to navigate the Irigo Suido Traffic Route, the master of that vessel shall submit the pre-entry report of 3-hour advance to Ise-Wan MARTIS by the time 3 hours before the time of arrival at the traffic route entrance.

When any changes occur in the report, they shall be reported as soon as possible.

The term “dangerous goods carrying vessel” means any of following vessels.

- a) a vessel of 300 tons and upwards gross tonnage carrying certain amount of powder (Please refer to item 1, paragraph 1 of article 11 of the Ordinance for Enforcement of the Act on Maritime Traffic Safety for the exact amount.)
- b) a vessel of 1,000 tons gross tonnage and upwards carrying inflammable high-pressure gas in bulk
- c) a vessel of 1,000 tons gross tonnage and upwards carrying inflammable liquid in bulk
- d) a vessel of 300 tons gross tonnage and upwards carrying organic peroxide of 200 tons and upwards

② Items to be reported

- a) vessel's name, gross tonnage and length
- b) section of the traffic route where the vessel is going to navigate,
ETA at the entrance of the traffic route, ETD from the traffic route
- c) signal letters or call sign of the vessel (applied to a vessel equipped with radio apparatus)
- d) means of communication with Japan Coast Guard (applied to a vessel without radio apparatus)
- e) destination port
- f) dangerous goods being carried

③ Addressee and means of report

i Addressee

Ise-Wan Vessel Traffic Service Center ("Ise-Wan MARTIS")

ii Means of report

When a master submits the pre-entry report, one of following means may be chosen.

a) Submitted in writing

Please fill in the report form and bring it to any of the Japan Coast Guard offices or mail it to Ise-Wan MARTIS.

〒 441-3624 2814-38 Koyama, Irigo-cho, Tahara-City, Aichi Prefecture

b) telephone

0531-34-2443

c) e-mail

Please contact the MARTIS.

d) radio communication

Please contact with a Japan Coast Guard radio station
("Nagoya Coast Guard Radio")

Frequencies: 156.8 MHz, 2189.5 KHz

3 INSTRUCTIONS TO A VERY LARGE VESSEL AND ETC.

① Items instructed to a very large vessel and etc.

Pursuant to the Act on Maritime Traffic Safety, Ise-Wan MARTIS may instruct a master of a vessel, which has submitted a pre-entry report according to the provisions prescribed in sections V 1 and 2 of this user manual (hereinafter referred to as "a very large vessel and etc."), about following matters when Ise-Wan MARTIS finds necessary to avoid dangerous situations against vessel traffic which may be caused by passage of that very large vessel and etc. in the traffic route.

- a) change of ETA at the traffic route entrance
- b) navigation speed
- c) keeping of communication with Ise-Wan MARTIS by continuous listening watch on VHF channel16 during the period from the time 3 hours before entry into the traffic route until the time of going out the traffic route
- d) keeping of under keel clearance (in case of a very large vessel)
- e) disposition of a forward lookout boat in case of a very large vessel of 250 meters and upwards in length or a very large vessel carrying dangerous goods
- f) disposition of a navigation assistance boat in case of a very large vessel or a dangerous goods carrying vessel
- g) disposition of a boat equipped with fire fighting facilities in case of a dangerous goods carrying vessel of 50,000 tons gross tonnage and upwards (in case of a liquefied gas carrying vessel of 25,000 tons gross tonnage and upwards)
- h) disposition of a side lookout boat in case of an object towing vessel, etc.
- i) other items considered necessary regarding operation of a very large vessel and etc.

② Means of instruction

Radio communication, telephone, e-mail or delivery of paper

③ Standards on a forward lookout boat and etc.

Concerning the standards of a forward lookout boat and etc. which are mentioned in V 3 ① e), g) and h) of this user manual, please refer to "Public Notice of the Standards of Details of the Instruction Related to Arrangement of the Forward Lookout Boat, the Boat with Fire Fighting Equipment or the Side Lookout Boat" (Japan Coast Guard Public Notice No. 29, in 1976) and "Public Notice of the Designation of the Forward Lookout Boat, the Boat with Fire Fighting Equipment and the Side Lookout Boat" (Japan Coast Guard Public Notice No. 76, in 1976)

4 POSITION REPORT

According to the Administrative guidance of the Commander of the 4th Regional Headquarters of Japan Coast Guard,

a) a vessel of 50 meters and upwards in length (except a vessel which is equipped with AIS and is transmitting accurate information by AIS)

or

b) a vessel towing or pushing any objects such as vessels or rafts, and the length between the front end of the towing vessel and the after end of the object or between the after end of the pushing vessel and the front end of the object is 100 meters and upwards (except a vessel which is equipped with AIS and is transmitting accurate information by AIS)

is requested to send position report to Ise-Wan MARTIS in accordance to the following procedures.

① When to report

Immediately after the vessel crossed any reporting line (see attached figure 2)

② Items to be reported

a) vessel's name and call sign

b) time when the vessel crossed the reporting line, and the code of the line or the present position

③ Means of report

i VHF radiotelephone

a) call sign: "Ise-Wan MARTIS"

b) calling channel: channel 16 or channel 13

or

ii telephone

0531-34-2443

(substitute number : 0531-34-2445 and 2446)

5 INFORMATION SERVICE AREA AND MONITORING OF VESSEL TRAFFIC

The Information service area of Ise-Wan MARTIS is shown in the attached figure 2 . Ise-Wan MARTIS monitors vessel traffic in the information service area by RADAR, AIS, position reports, ITV and so forth.

VI SERVICES PROVIDED BY VHF RADIOTELEPHONE

1 APPLICATION OF MESSAGE MARKERS

When Ise-Wan MARTIS provides information via VHF Radiotelephone, warning, advice or instruction to a vessel, one of following message markers ("INFORMATION", "WARNING", "ADVICE" and "INSTRUCTION") is used preceding the message to increase the probability of the purpose of the message being properly understood. Message markers are used in accordance with the IMO Standard Marine Communication Phrases and meanings of message markers used are as follows.

① "INFORMATION"

This indicates that Ise-Wan MARTIS is informing observed facts, situations, etc.

which contribute to navigational safety. Consequences of INFORMATION will be up to the recipient.

② "WARNING"

This indicates that Ise-Wan MARTIS is informing any dangerous situation that may impede safe navigation of vessels. The recipient of this message should pay immediate attention to the situation mentioned and consequences of WARNING will be up to the recipient.

③ "ADVICE"

This indicates that Ise-Wan MARTIS is providing advice, pursuant to the Act on Maritime Traffic Safety, to take any necessary action to keep traffic regulations on the traffic route, such as altering the vessel's way and so forth, to avoid the dangerous situation that may impede safe navigation of the vessel. The recipient of this message should maneuver considering this advice very carefully. The decision whether to follow the ADVICE still stays with the recipient.

④ "INSTRUCTION"

This indicates that Ise-Wan MARTIS is instructing vessels to take certain action, pursuant to the Act of Maritime Traffic Safety. The recipient has to follow this message unless he/she has contradictory safety reasons.

2 TYPES OF INFORMATION SERVICES WITHIN THE INFORMATION SERVICE AREA

Ise-Wan MARTIS provides following information within its information service area.

① Any following information which Ise-Wan MARTIS considers necessary for a vessel of 50 meters and upwards in length (hereinafter referred to as a "specified vessel") which is navigating in the VHF stand by area (see the in the next page) (Message Marker "INFORMATION" or "WARNING")

- a) information of the navigational rules applied in the VHF stand by area in the Irago Suido Traffic Route and its vicinity, when it is found that a specified vessel is likely to navigate not keeping the navigational rule applied
- b) information of occurrence of any impediment to safe navigation of a specified vessel such as a sunken vessel, functional disorder of aids to navigation, etc.
- c) information of a sea area where a vessel has difficulty to navigate safely such as an area where any construction or work is underway, a very shallow water area, etc. and in case that a specified vessel is likely to close in extremely on that area
- d) information of a vessel, which has difficulty to keep out the way for other vessels and is likely to cause a serious peril to safe navigation of a specified vessel
- e) information of a specified vessel which is found to close in extremely on any other specified vessel
- f) any other information which is considered necessary for a specified vessel

② Any information referred in the preceding section ① a)~f), which Ise-Wan MARTIS considers necessary for a vessel which is equipped with AIS (except a

specified vessel) (hereinafter referred to as an "AIS equipped vessel" (Message Marker "INFORMATION" or "WARNING")

- ③ Any other information which Ise-Wan MARTIS considers necessary for safe navigation of a specified vessel or an AIS equipped vessel or information which is requested by a specified vessel or an AIS equipped vessel (Message Marker "INFORMATION")
- ④ Any navigational safety information which Ise-Wan MARTIS considers necessary for or requested by a vessel neither a specified vessel nor an AIS equipped vessel (Message Marker "INFORMATION")

3 INFORMATION MONITORING REQUIREMENT WITHIN THE VHF STAND BY AREA

Pursuant to the Act on Maritime Traffic Safety, a specified vessel (except a vessel which is not equipped with VHF radiotelephone), while navigating in the VHF stand by area and except when it is difficult to monitor, shall monitor the information provided by Ise-Wan MARTIS by VHF radiotelephone.



4 NAVIGATIONAL ADVICE WITHIN THE VHF STAND BY AREA (Message Marker "ADVICE")

① Provision of advice

Pursuant to the Act on Maritime Traffic Safety, Ise-Wan MARTIS may provide advice to a specified vessel to take any necessary action such as altering the vessel's way and so forth, when it is found that such vessel is likely to navigate not keeping the navigational rules applied in the traffic routes or when it is found that a dangerous situation for such vessel such as risk of closing in on any other specified vessel or an obstruction, is likely to occur, and when Ise-Wan MARTIS considers necessary to have such vessel keep the navigational rules or avoid the dangerous situation.

In addition to VHF radiotelephone, advice may be conveyed by telephone, etc..

② Action of the vessel which receives advice

The vessel which receives advice should decide the action to keep the rule or to avoid the dangerous situation after considering the advice very carefully, getting the traffic image around the vessel and judging if any conflicting situation exists.

③ Request for report about vessel's action taken according to the advice

When it is considered necessary, Ise-Wan MARTIS may request for report from

the vessel about the action taken according to the advice given.

5 INSTRUCTION (Message Marker "INSTRUCTION")

① Instruction to a very large vessel and etc.

Ise-Wan MARTIS may provide instruction referred in VI 3 to a very large vessel and etc. by VHF radiotelephone.

② Instruction to stand by at outside of the traffic routes

i Instruction in the case of restricted visibility

Pursuant to the Act on Maritime Traffic Safety, Ise-Wan MARTIS may provide instruction to stand by at outside of the traffic route in cases and to vessels listed below in order to prevent dangerous situations for such vessels which are navigating or going to navigate through the Irago Suido Traffic route.

In addition to VHF radiotelephone, instruction may be conveyed by telephone, etc..

a) When visibility is more than 1,000 meters but not more than 2,000 meters

- A very large vessel
- A dangerous goods carrying vessel of 50,000 tons gross tonnage and upwards (liquefied gas carrying vessels of 25,000 tons gross tonnage and upwards)
- An object towing vessel, etc.

b) when visibility is not more than 1,000 meters

- A very large vessel
- A dangerous goods carrying vessel of 10,000 tons gross tonnage and upwards
- An object towing vessel, etc.

ii Instruction to avoid meeting with a very large vessel in the Irago Suido Traffic route

Pursuant to the Act on Maritime Traffic Safety, the Ise-Wan MARTIS may provide instruction to a vessel of 130 meters and upwards in length (except a very large vessel) to stand by outside of the traffic route for necessary duration in case that such a vessel is expected to meet a very large vessel reciprocally in the Irago Suido Traffic route.

In addition to VHF radiotelephone, instruction may be conveyed by telephone, etc..

This instruction is indicated by lighting signal boards at the Irago Suido Traffic route traffic signal station.

iii Action of the vessel which receives instruction

The vessel which receives instruction has to stand by at outside of the traffic route until when Tokyo MARTIS lifts the instruction.

VII OTHER MEANS OF INFORMATION SERVICES

1 Automatic Identification System (AIS)

Ise-Wan MARTIS provides information which is necessary for safe navigation in the Irago channel and its vicinity such as information on accidents, information on vessel traffic restriction, movements of navigating vessels, present state of weather conditions, any disorder of aids to navigation, present situation of fishing boats, etc., to vessels navigating in the AIS service area by making good use of communication function of AIS.

When any dangerous situation which may impede safe navigation of a vessel is found within AIS service area, such as heading for shallow water area and so forth, Ise-Wan MARTIS will provide information on such a dangerous situation whenever necessary by AIS.

2 RADIO BROADCAST

Ise-Wan MARTIS broadcasts the information on the traffic route entry schedule of large vessels, weather, sea, etc., according to schedule and frequency explained below.

① Broadcast in Japanese

i Time

15 ~ 30 minute and 45 ~ 00 minute in every hour

ii Frequency

1665 kHz

② Broadcast in English

i Time

00 ~ 15 minute and 30 ~ 45 minute in every hour

ii Frequency

2019 kHz

3 INTERNET Homepage

Useful information is posted on the INTERNET home page of the Ise-Wan MARTIS.

URL: <https://www6.kaiho.mlit.go.jp/isewan/>

VIII Irago Suido Traffic route TRAFFIC SIGNAL STATION

1 Position

The position of the Irago Suido Traffic route traffic signal station mentioned in VI 5 ② ii is as follows.

3 4 degrees 3 4 minutes 5 0 seconds North

1 3 7 degrees 0 1 minutes 0 0 seconds East

2 Meaning of signals (See attached figure 3)

"N": There is a very large vessel navigating or expected to navigate in the Irago

Suido Traffic route northbound.

A vessel of 130 meters and upwards in length (except a very large vessel) which intends to navigate in the Irago Suido Traffic route southeast bound shall stand by outside of the traffic route.

"S": There is a very large vessel navigating or being to navigate in the Irago Suido Traffic route southbound.

A vessel of 130 meters and upwards in length (except a very large vessel) which intends to navigate in the Irago Suido Traffic route northwest bound shall stand by outside of the traffic route.

Alternating "N" and "S": A vessel of 130 meters and upwards in length (except a very large vessel) which intends to navigate in the Irago Suido Traffic route shall stand by outside of the traffic route.



Table of Input Codes to AIS

AISへの入力コード表

List of Port Codes (in the order of port name)

- 適用港の港コード一覧表(港名順)

List of Codes showing the courses in port

- 港内での進路を示すコード一覧表

List of Codes showing other courses

- 経路進路を示すコード一覧表

<Notice>

- Adequate entry of data into AIS leads to improvement in ship safety while sailing. Please be sure of to enter the data properly.
- When leaving the port, please enter the data as soon as possible.

<お願い>

- AISの適正入力とは船舶航行の安全性向上につながります、適切な入力をお願いします。
- 出航前等、できる限り、早期の入力をお願いします。

適用港の港コード一覧表(港名順)
List of Port Codes(in the order of port name)

入力時:コード入力前に「>」を入力してください。
「>」が入力できない場合は「TO」と入力してください。

At the time of entry : Enter 「>」 before proceeding to entry.
In case of can NOT enter 「>」, enter 「TO」 to make up it.

港名 (都道府県名)	PORT (DISTRICT)	コード／CODE
網走 (北海道)	ABASHIRI (HOKKAIDO)	JP ABA
油津 (宮崎県)	ABURATSU (MIYAZAKI)	JP NIC
安下庄 (山口県)	AGENOSYO (YAMAGUCHI)	JP AGN
相浦 (長崎県)	AINOURA (NAGASAKI)	JP AIN
秋穂 (山口県)	AIO (YAMAGUCHI)	JP AII
相生 (兵庫県)	AIOI (HYOGO)	JP AIO
合津 (熊本県)	AIZU (KUMAMOTO)	JP AIZ
鰺ヶ沢 (青森県)	AJIGASAWA (AOMORI)	JP AJK
味野 (岡山県)	AJINO (OKAYAMA)	JP AJN
網代 (静岡県)	AJIRO (SHIZUOKA)	JP AJR
網代 (鳥取県)	AJIRO (TOTTORI)	JP AZJ
赤碕 (鳥取県)	AKASAKI (TOTTORI)	JP ASK
明石 (兵庫県)	AKASHI (HYOGO)	JP AKA
秋田船川 (秋田県)	AKITAFUNAGAWA (AKITA)	JP AFG
安芸津 (広島県)	AKITSU (HIROSHIMA)	JP AKT
鮎川 (宮城県)	AYUKAWA (MIYAGI)	JP AYU
別府 (大分県)	BEPPU (OITA)	JP BPU
千葉4区 (千葉県)	CHIBA No. 4 Div. (CHIBA)	JP ANE
千葉 葛南区 (千葉県)	CHIBA KATSUNAN area (CHIBA)	JP FNB
千葉 (上記を除く) (千葉県)	CHIBA (CHIBA)	JP CHB
千代崎 (三重県)	CHIYOZAKI (MIE)	JP CYZ
銚子 (茨城県・千葉県)	CHOSHI (IBARAKI・CHIBA)	JP CHO
伊達 (北海道)	DATE (HOKKAIDO)	JP DAT
江迎 (長崎県)	EMUKAE (NAGASAKI)	JP EMU
江名 (福島県)	ENA (FUKUSHIMA)	JP ENA
えりも (北海道)	ERIMO (HOKKAIDO)	JP EMM
江崎 (山口県)	ESAKI (YAMAGUCHI)	JP ESK
江差 (北海道)	ESASHI (HOKKAIDO)	JP ESI
枝幸 (北海道)	ESASHI (HOKKAIDO)	JP ESS
恵曇 (島根県)	ETOMO (SHIMANE)	JP ETM
郷ノ浦 (長崎県)	GONOURA (NAGASAKI)	JP GON
江津 (島根県)	GOTSU (SHIMANE)	JP GOT
郡家 (兵庫県)	GUNGE (HYOGO)	JP GNG
郡中 (愛媛県)	GUNTYU (EHIME)	JP IYO
羽幌 (北海道)	HABORO (HOKKAIDO)	JP HBO

港名 (都道府県名)	PORT (DISTRICT)	コード／CODE
厚岸 (北海道)	AKKESHI (HOKKAIDO)	JP AKE
赤穂 (兵庫県)	AKO (HYOGO)	JP AKO
阿久根 (鹿児島県)	AKUNE (KAGOSHIMA)	JP AKN
穴水 (石川県)	ANAMIZU (ISHIKAWA)	JP ANM
青方 (長崎県)	AOKATA (NAGASAKI)	JP AOK
青森 (青森県)	AOMORI (AOMORI)	JP AOM
青苗 (北海道)	AONAE (HOKKAIDO)	JP AON
有川 (長崎県)	ARIKAWA (NAGASAKI)	JP ARK
厚狭 (山口県)	ASA (YAMAGUCHI)	JP ASA
浅川 (徳島県)	ASAKAWA (TOKUSHIMA)	JP ASW
浅茂川 (京都府)	ASAMOGAWA (KYOTO)	JP AMG
芦辺 (長崎県)	ASHIBE (NAGASAKI)	JP ASB
芦屋 (福岡県)	ASHIYA (FUKUOKA)	JP ASZ
熱海 (静岡県)	ATAMI (SHIZUOKA)	JP AMI
粟野 (山口県)	AWANO (YAMAGUCHI)	JP YYA
深浦 (青森県)	FUKAURA (AOMORI)	JP FKK
深浦 (愛媛県)	FUKAURA (EHIME)	JP FKR
深日 (大阪府)	FUKE (OSAKA)	JP FUE
福江 (愛知県)	FUKUE (AICHI)	JP FKE
福江 (長崎県)	FUKUE (NAGASAKI)	JP FKN
福井 (福井県)	FUKUI (FUKUI)	JP FKJ
福良 (兵庫県)	FUKURA (HYOGO)	JP FRA
福島 (北海道)	FUKUSHIMA (HOKKAIDO)	JP FKU
福島 (宮崎県)	FUKUSHIMA (MIYAZAKI)	JP FMS
福浦 (石川県)	FUKUURA (ISHIKAWA)	JP FRJ
福山 (広島県)	FUKUYAMA (HIROSHIMA)	JP FKY
福山 (鹿児島県)	FUKUYAMA (KAGOSHIMA)	JP FYM
船泊 (北海道)	FUNADOMARI (HOKKAIDO)	JP FND
伏木富山 (富山県)	FUSHIKI (TOYAMA) (TOYAMA)	JP FTX
五ヶ所 (三重県)	GOKASYO (MIE)	JP GKS
浜名 (静岡県)	HAMANA (SHIZUOKA)	JP HMN
浜坂 (兵庫県)	HAMASAKA (HYOGO)	JP HKJ
羽茂 (新潟県)	HAMOCHI (NIIGATA)	JP HMC
花咲 (北海道)	HANASAKI (HOKKAIDO)	JP HNK
阪南 (大阪府)	HANNAN (OSAKA)	JP HAN

入力時:コード入力前に「>」を入力してください。
「>」が入力できない場合は「TO」と入力してください。

港名 (都道府県名)	PORT (DISTRICT)	コード／CODE
土生 (広島県)	HABU (HIROSHIMA)	JP HAB
波浮 (東京都)	HABU (TOKYO)	JP HAU
八戸 (青森県)	HACHINOHE (AOMORI)	JP HHE
萩 (山口県)	HAGI (YAMAGUCHI)	JP HAG
榛原 (静岡県)	HAIBARA (SHIZUOKA)	JP HBA
伯方 (愛媛県)	HAKATA (EHIME)	JP HKS
博多 (福岡県)	HAKATA (FUKUOKA)	JP HKT
函館 (北海道)	HAKODATE (HOKKAIDO)	JP HKP
浜田 (島根県)	HAMADA (SHIMANE)	JP HMD
浜島 (三重県)	HAMAJIMA (MIE)	JP HJM
日置 (和歌山県)	HIKI (WAKAYAMA)	JP HIK
引本 (三重県)	HIKIMOTO (MIE)	JP HMT
姫戸 (熊本県)	HIMEDO (KUMAMOTO)	JP HDO
姫路 (兵庫県)	HIMEJI (HYOGO)	JP HIM
姫川 (新潟県)	HIMEKAWA (NIIGATA)	JP HMK
氷見 (富山県)	HIMI (TOYAMA)	JP HMJ
日生 (岡山県)	HINASE (OKAYAMA)	JP HIN
平戸 (長崎県)	HIRADO (NAGASAKI)	JP HRD
平潟 (茨城県)	HIRAKATA (IBARAKI)	JP HRK
平生 (山口県)	HIRAO (YAMAGUCHI)	JP HRA
平良 (沖縄県)	HIRARA (OKINAWA)	JP HRR
平沢 (秋田県)	HIRASAWA (AKITA)	JP HSW
広島 (広島県)	HIROSHIMA (HIROSHIMA)	JP HIJ
広田 (岩手県)	HIROTA (IWATE)	JP HTA
日立 (茨城県)	HITACHI (IBARAKI)	JP HTC
伊万里 (佐賀県・長崎県)	IMARI (SAGA・NAGASAKI)	JP IMI
稲取 (静岡県)	INATORI (SHIZUOKA)	JP INR
伊根 (京都府)	INE (KYOTO)	JP INE
伊良湖 (愛知県)	IRAGO (AICHI)	JP IRK
石垣 (沖縄県)	ISHIGAKI (OKINAWA)	JP ISG
石狩湾 (北海道)	ISHIKARIWAN (HOKKAIDO)	JP ISW
石巻 (宮城県)	ISHINOMAKI (MIYAGI)	JP ISM
一色 (愛知県)	ISSIKI (AICHI)	JP IKJ
一湊 (鹿児島県)	ISSO (KAGOSHIMA)	JP KYR
伊東 (静岡県)	ITOH (SHIZUOKA)	JP ITJ
厳島 (広島県)	ITSUKUSHIMA (HIROSHIMA)	JP ITS
岩船 (新潟県)	IWAFUNE (NIIGATA)	JP IWH

At the time of entry : Enter 「>」 before proceeding to entry.
In case of can NOT enter 「>」, enter 「TO」 to make up it.

港名 (都道府県名)	PORT (DISTRICT)	コード／CODE
阪神 尼崎西宮芦屋区 (大阪府・兵庫県)	HANSHIN AMAGASAKI/NISHINOMIYA/ASHIYA area (OSAKA・HYOGO)	JP AMX
阪神 神戸区 (大阪府・兵庫県)	HANSHIN KOBE area (OSAKA・HYOGO)	JP UKB
阪神 大阪区 (大阪府・兵庫県)	HANSHIN OSAKA area (OSAKA・HYOGO)	JP OSA
阪神 堺泉北区 (大阪府・兵庫県)	HANSHIN SAKAISENBOKU area (OSAKA・HYOGO)	JP SBK
戸田 (静岡県)	HEDA (SHIZUOKA)	JP HAD
日比 (岡山県)	HIBI (OKAYAMA)	JP HIB
日高 (和歌山県)	HIDAKA (WAKAYAMA)	JP HDK
東播磨 (兵庫県)	HIGASHIHARIMA (HYOGO)	JP HHR
東幡豆 (愛知県)	HIGASHIHAZU (AICHI)	JP HGH
引田 (香川県)	HIKETA (KAGAWA)	JP HEA
常陸那珂 (茨城県)	HITACHINAKA (IBARAKI)	JP HIC
比田勝 (長崎県)	HITAKATSU (NAGASAKI)	JP HTK
日和佐 (徳島県)	HIWASA (TOKUSHIMA)	JP HWS
北条 (愛媛県)	HOJO (EHIME)	JP HJO
本渡 (熊本県)	HONDO (KUMAMOTO)	JP HOD
本荘 (秋田県)	HONJO (AKITA)	JP HON
本庄 (京都府)	HONJYO (KYOTO)	JP HNJ
細島 (宮城県)	HOSOSHIMA (MIYAZAKI)	JP HSM
百貫 (熊本県)	HYAKKAN (KUMAMOTO)	JP HKK
飯田 (石川県)	IIDA (ISHIKAWA)	JP IDA
池田 (香川県)	IKEDA (KAGAWA)	JP IKA
生月 (長崎県)	IKITSUKI (NAGASAKI)	JP IKK
今治 (愛媛県)	IMABARI (EHIME)	JP IMB
今福 (長崎県)	IMAFUKU (NAGASAKI)	JP IMA
今切 (徳島県)	IMAGIRI (TOKUSHIMA)	JP IGR
厳原 (長崎県)	IZUHARA (NAGASAKI)	JP IZH
泉 (愛知県)	IZUMI (AICHI)	JP IZM
香深 (北海道)	KAFUKA (HOKKAIDO)	JP KBK
加布里 (福岡県)	KAFURI (FUKUOKA)	JP KAF
加賀 (島根県)	KAGA (SHIMANE)	JP KJG
鹿児島 (鹿児島県)	KAGOSHIMA (KAGOSHIMA)	JP KOJ
加治木 (鹿児島県)	KAJIKI (KAGOSHIMA)	JP KJK
蒲江 (大分県)	KAMAE (OITA)	JP KME
蒲刈 (広島県)	KAMAGARI (HIROSHIMA)	JP KGR
釜石 (岩手県)	KAMAISHI (IWATE)	JP KIS
上川口 (高知県)	KAMIKAWAGUCHI (KOCHI)	JP KMW
神湊 (東京都)	KAMINATO (TOKYO)	JP KMM

入力時:コード入力前に「>」を入力してください。
「>」が入力できない場合は「TO」と入力してください。

港名 (都道府県名)	PORT (DISTRICT)	コード／CODE
岩国 (山口県)	IWAKUNI (YAMAGUCHI)	JP IWK
岩内 (北海道)	IWANAI (HOKKAIDO)	JP IWN
岩屋 (兵庫県)	IWAYA (HYOGO)	JP IWY
金沢 (石川県)	KANAZAWA (ISHIKAWA)	JP KNZ
関門 響新港区 (山口県・福岡県)	KANMON HIBIKISINKOU area (YAMAGUCHI・FUKUOKA)	JP HBK
関門 新門司区 (山口県・福岡県)	KANMON SHINMOJI area (YAMAGUCHI・FUKUOKA)	JP SMJ
関門 上記を除く (山口県・福岡県)	KANMON (YAMAGUCHI・FUKUOKA)	JP KNM
観音寺 (香川県)	KANONJI (KAGAWA)	JP KJN
甲浦 (高知県)	KANNOURA (KOCHI)	JP KRA
唐津 (佐賀県)	KARATSU (SAGA)	JP KAR
苅田 (福岡県)	KANDA (FUKUOKA)	JP KND
笠岡 (岡山県)	KASAOKA (OKAYAMA)	JP KSA
鹿島 (茨城県)	KASHIMA (IBARAKI)	JP KSM
柏崎 (新潟県)	KASHIWAZAKI (NIIGATA)	JP KWZ
香住 (兵庫県)	KASUMI (HYOGO)	JP KXS
片上 (岡山県)	KATAKAMI (OKAYAMA)	JP KKM
勝本 (長崎県)	KATSUMOTO (NAGASAKI)	JP KSU
勝浦 (千葉県)	KATSUURA (CHIBA)	JP KUR
木更津 (千葉県)	KISARAZU (CHIBA)	JP KZU
岐宿 (長崎県)	KISHIKU (NAGASAKI)	JP KSH
北浦 (秋田県)	KITAUURA (AKITA)	JP KJT
北浦 (宮崎県)	KITAUURA (MIYAZAKI)	JP KIT
高知 (高知県)	KOCHI (KOCHI)	JP KCZ
小泊 (青森県)	KODOMARI (AOMORI)	JP KOD
小串 (岡山県)	KOGUSHI (OKAYAMA)	JP KOG
小串 (山口県)	KOGUSHI (YAMAGUCHI)	JP KGS
小松 (山口県)	KOMATSU (YAMAGUCHI)	JP KMX
米ノ津 (鹿児島県)	KOMENOTSU (KAGOSHIMA)	JP KKO
小湊 (青森県)	KOMINATO (AOMORI)	JP KMN
古仁屋 (鹿児島県)	KONIYA (KAGOSHIMA)	JP KNY
金浦 (秋田県)	KONOURA (AKITA)	JP KNO
鹿屋 (鹿児島県)	KONOYA (KAGOSHIMA)	JP KYA
琴浦 (岡山県)	KOTOURA (OKAYAMA)	JP JKT
沓形 (北海道)	KUTSUGATA (HOKKAIDO)	JP KTG
桑名 (三重県)	KUWANA (MIE)	JP KNA
舞鶴 (京都府)	MAIZURU (KYOTO)	JP MAI
枕崎 (鹿児島県)	MAKURAZAKI (KAGOSHIMA)	JP MKK
真鶴 (神奈川県)	MANAZURU (KANAGAWA)	JP MNA

At the time of entry : Enter 「>」 before proceeding to entry.
In case of can NOT enter 「>」, enter 「TO」 to make up it.

港名 (都道府県名)	PORT (DISTRICT)	コード／CODE
上ノ加江 (高知県)	KAMINOKAE (KOCHI)	JP KMK
上関 (山口県)	KAMINOSEKI (YAMAGUCHI)	JP KOX
加茂 (山形県)	KAMO (YAMAGATA)	JP KMO
勝浦 (和歌山県)	KATSUURA (WAKAYAMA)	JP KAT
川之石 (愛媛県)	KAWANOISHI (EHIME)	JP KWI
川内 (青森県)	KAWAUCHI (AOMORI)	JP KAW
京浜 川崎区 (東京都・神奈川県)	KEIHIN KAWASAKI area (TOKYO・KANAGAWA)	JP KWS
京浜 東京区 (東京都・神奈川県)	KEIHIN TOKYO area (TOKYO・KANAGAWA)	JP TYO
京浜 横浜区 (東京・神奈川県)	KEIHIN YOKOHAMA area (TOKYO・KANAGAWA)	JP YOK
気仙沼 (宮城県)	KESENNUMA (MIYAGI)	JP KSN
喜入 (鹿児島県)	KIIRE (KAGOSHIMA)	JP KII
菊間 (愛媛県)	KIKUMA (EHIME)	JP KIK
金武中城 (沖縄県)	KINNAKAGUSUKU (OKINAWA)	JP KNX
木ノ江 (広島県)	KINOE (HIROSHIMA)	JP KNE
木本 (三重県)	KINOMOTO (MIE)	JP KNT
衣浦 (愛知県)	KINUURA (AICHI)	JP KNU
霧多布 (北海道)	KIRITAPPU (HOKKAIDO)	JP KRT
象潟 (秋田県)	KISAKATA (AKITA)	JP KST
特牛 (山口県)	KOTTOI (YAMAGUCHI)	JP KTO
香西 (香川県)	KOZAI (KAGAWA)	JP KZJ
古座西向 (和歌山県)	KOZANISHIMUKAI (WAKAYAMA)	JP KOB
口之津 (長崎県)	KUCHINOTSU (NAGASAKI)	JP KUC
久慈 (岩手県)	KUJI (IWATE)	JP KJI
久賀 (山口県)	KUKA (YAMAGUCHI)	JP KGB
熊本 (熊本県)	KUMAMOTO (KUMAMOTO)	JP KMP
久美浜 (京都府)	KUMIHAMA (KYOTO)	JP KMH
国東 (大分県)	KUNISAKI (OITA)	JP KNS
呉 (広島県)	KURE (HIROSHIMA)	JP KRE
久礼 (高知県)	KURE (KOCHI)	JP KUE
串木野 (鹿児島県)	KUSHIKINO (KAGOSHIMA)	JP KSO
串本 (和歌山県)	KUSHIMOTO (WAKAYAMA)	JP KUJ
釧路 (北海道)	KUSHIRO (HOKKAIDO)	JP KUH
久手 (島根県)	KUTE (SHIMANE)	JP KUT
松崎 (静岡県)	MATSUZAKI (SHIZUOKA)	JP MTZ
鉢崎 (広島県)	MEBARUZAKI (HIROSHIMA)	JP MBR
三重式見 (長崎県)	MIESHIKIMI (NAGASAKI)	JP MSI
美保関 (島根県)	MIHONOSEKI (SHIMANE)	JP MIH
三池 (福岡県)	MIKE (FUKUOKA)	JP MII

入力時:コード入力前に「>」を入力してください。
「>」が入力できない場合は「TO」と入力してください。

港名 (都道府県名)	PORT (DISTRICT)	コード／CODE
丸亀 (香川県)	MARUGAME (KAGAWA)	JP MAR
丸尾 (山口県)	MARUO (YAMAGUCHI)	JP MRU
増毛 (北海道)	MASHIKE (HOKKAIDO)	JP MSK
益田 (島根県)	MASUDA (SHIMANE)	JP MSD
松江 (島根県)	MATSUE (SHIMANE)	JP MTE
松前 (北海道)	MATSUMAE (HOKKAIDO)	JP MTM
松島 (長崎県)	MATSUSHIMA (NAGASAKI)	JP MAT
松浦 (長崎県)	MATSUURA (NAGASAKI)	JP MTS
松山 (愛媛県)	MATSUYAMA (EHIME)	JP MYJ
松坂 (三重県)	MATSUZAKA (MIE)	JP MSA
御手洗 (広島県)	MITARAI (HIROSHIMA)	JP MTI
三机 (愛媛県)	mitsukue (EHIME)	JP MTK
宮古 (岩手県)	MIYAKO (IWATE)	JP MYK
宮之浦 (鹿児島県)	MIYANOURA (KAGOSHIMA)	JP MNO
宮浦 (愛媛県)	MIYAURA (EHIME)	JP MYU
宮崎 (宮崎県)	MIYAZAKI (MIYAZAKI)	JP KMI
宮津 (京都府)	MIYAZU (KYOTO)	JP MIY
水島 (岡山県)	MIZUSHIMA (OKAYAMA)	JP MIZ
湊 (兵庫県)	MINATO (HYOGO)	JP MNT
茂木 (長崎県)	MOGI (NAGASAKI)	JP MOG
紋別 (北海道)	MONBETSU (HOKKAIDO)	JP MBE
森 (北海道)	MORI (HOKKAIDO)	JP MOR
守江 (大分県)	MORIE (OITA)	JP MOO
諸富 (佐賀県)	MORODOMI (SAGA)	JP MOM
師崎 (愛知県)	MOROZAKI (AICHI)	JP MRZ
那覇 (沖縄県)	NAHA (OKINAWA)	JP NAH
奈半利 (高知県)	NAHARI (KOCHI)	JP NHI
中浜 (京都府)	NAKAHAMA (KYOTO)	JP NKJ
中甕 (鹿児島県)	NAKAKOSHIKI (KAGOSHIMA)	JP NKK
那珂湊 (茨城県)	NAKAMINATO (IBARAKI)	JP NMT
中之作 (福島県)	NAKANOSAKU (FUKUSHIMA)	JP NKX
中津 (福岡県・大分県)	NAKATSU (FUKUOKA・OITA)	JP NAT
波切 (三重県)	NAKIRI (MIE)	JP NKR
七尾 (石川県)	NANAO (ISHIKAWA)	JP NNO
直江津 (新潟県)	NAOETSU (NIIGATA)	JP NAO
直島 (香川県)	NAOSHIMA (KAGAWA)	JP NAS
奈良尾 (長崎県)	NARAO (NAGASAKI)	JP NRO
奈留島 (長崎県)	NARUSHIMA (NAGASAKI)	JP NRS

At the time of entry : Enter 「>」 before proceeding to entry.
In case of can NOT enter 「>」, enter 「TO」 to make up it.

港名 (都道府県名)	PORT (DISTRICT)	コード／CODE
三瓶 (愛媛県)	MIKAME (EHIME)	JP MKM
三河 (愛知県)	MIKAWA (AICHI)	JP MKW
水俣 (熊本県)	MINAMATA (KUMAMOTO)	JP MIN
三厩 (青森県)	MINMAYA (AOMORI)	JP MNY
三崎 (愛媛県)	MISAKI (EHIME)	JP MSX
三崎 (神奈川県)	MISAKI (KANAGAWA)	JP MIK
三島川之江 (愛媛県)	MISHIMAKAWANOE (EHIME)	JP MKX
三角 (熊本県)	MISUMI (KUMAMOTO)	JP MIS
三隅 (島根県)	MISUMI (SHIMANE)	JP MMI
三田尻中関 (山口県)	MITAJIRINAKANOSEKI (YAMAGUCHI)	JP MNX
元町 (東京都)	MOTOMACHI (TOKYO)	JP MOT
牟岐 (徳島県)	MUGI (TOKUSHIMA)	JP MUG
室蘭 (北海道)	MURORAN (HOKKAIDO)	JP MUR
室戸岬 (高知県)	MUROTOMISAKI (KOCHI)	JP MRJ
室津 (高知県)	MUROTU (KOCHI)	JP MUX
室津 (山口県)	MUROTU (YAMAGUCHI)	JP MRT
室積 (山口県)	MUROZUMI (YAMAGUCHI)	JP MZM
むつ小川原 (青森県)	MUTSUOGAWARA (AOMORI)	JP MUT
撫養 (徳島県)	MUYA (TOKUSHIMA)	JP MYA
長浜 (愛媛県)	NAGAHAMA (EHIME)	JP NGH
長崎 (長崎県)	NAGASAKI (NAGASAKI)	JP NMX
長島 (三重県)	NAGASHIMA (MIE)	JP NSA
長洲 (熊本県)	NAGASU (KUMAMOTO)	JP NGU
長洲 (大分県)	NAGASU (OITA)	JP NSU
名古屋 (愛知県)	NAGOYA (AICHI)	JP NGO
鼠ヶ関 (山形県)	NEZUGASEKI (YAMAGATA)	JP NEZ
新潟 (新潟県)	NIIGATA (NIIGATA)	JP KIJ
新居浜 (愛媛県)	NIIHAMA (EHIME)	JP IHA
新島 (東京都)	NIIJIMA (TOKYO)	JP NIJ
仁万 (島根県)	NIMA (SHIMANE)	JP NIM
仁尾 (香川県)	NIO (KAGAWA)	JP NIO
西之表 (鹿児島県)	NISHINOOMOTE (KAGOSHIMA)	JP IIN
延岡 (宮崎県)	NOBEOKA (MIYAZAKI)	JP NOB
野原 (京都府)	NOHARA (KYOTO)	JP NOH
野辺地 (青森県)	NOHEJI (AOMORI)	JP NHJ
野間池 (鹿児島県)	NOMAIKE (KAGOSHIMA)	JP NMK
能代 (秋田県)	NOSHIRO (AKITA)	JP NSR
能生 (新潟県)	NOU (NIIGATA)	JP NOU

入力時:コード入力前に「>」を入力してください。
「>」が入力できない場合は「TO」と入力してください。

港名 (都道府県名)	PORT (DISTRICT)	コード／CODE
名瀬 (鹿児島県)	NAZE (KAGOSHIMA)	JP NAZ
根室 (北海道)	NEMURO (HOKKAIDO)	JP NEM
大洗 (茨城県)	OARAI (IBARAKI)	JP OAR
小浜 (福井県)	OBAMA (FUKUI)	JP OBM
小浜 (長崎県)	OBAMA (NAGASAKI)	JP OBB
大泊 (鹿児島県)	ODOMARI (KAGOSHIMA)	JP ODM
大船渡 (岩手県)	OFUNATO (IWATE)	JP OFT
小木 (石川県)	OGI (ISHIKAWA)	JP OII
小木 (新潟県)	OGI (NIIGATA)	JP OGI
荻浜 (宮城県)	OGINOHAMA (MIYAGI)	JP OGH
大畑 (青森県)	OHATA (AOMORI)	JP OHT
大井川 (静岡県)	OIGAWA (SHIZUOKA)	JP OIG
大分 (大分県)	OITA (OITA)	JP OIP
小値賀 (長崎県)	OJIKI (NAGASAKI)	JP OJI
岡田 (東京都)	OKADA (TOKYO)	JP OAA
岡村 (愛媛県)	OKAMURA (EHIME)	JP OMR
岡山 (岡山県)	OKAYAMA (OKAYAMA)	JP OKP
大島 (福岡県)	OSHIMA (FUKUOKA)	JP OSS
大島 (長崎県)	OSHIMA (NAGASAKI)	JP OSM
大竹 (広島県)	OTAKE (HIROSHIMA)	JP OTK
小樽 (北海道)	OTARU (HOKKAIDO)	JP OTR
大津 (茨城県)	OTSU (IBARAKI)	JP OSJ
大槌 (岩手県)	OTSUCHI (IWATE)	JP OTJ
雄武 (北海道)	OMU (HOKKAIDO)	JP OUM
会瀬 (茨城県)	OUSE (IBARAKI)	JP OUS
尾鷲 (三重県)	OWASE (MIE)	JP OWA
羅臼 (北海道)	RAUSU (HOKKAIDO)	JP RAU
留萌 (北海道)	RUMOI (HOKKAIDO)	JP RMI
両津 (新潟県)	RYOTSU (NIIGATA)	JP RYO
佐伯 (大分県)	SAEKI (OITA)	JP SAE
佐賀 (高知県)	(SAGA) (KOCHI)	JP SGA
佐賀関 (大分県)	SAGANOSEKI (OITA)	JP SAG
佐敷 (熊本県)	SASHIKI (KUMAMOTO)	JP SSI
佐須奈 (長崎県)	SASUNA (NAGASAKI)	JP SSN
川内 (鹿児島県)	SENDAI (KAGOSHIMA)	JP SEN
仙台塩釜 (宮城県)	SENDAISHIOGAMA (MIYAGI)	JP SGM
泉州 (大阪府)	SENSYU (OSAKA)	JP SSU
仙崎 (山口県)	SENZAKI (YAMAGUCHI)	JP SZK

At the time of entry : Enter 「>」 before proceeding to entry.
In case of can NOT enter 「>」, enter 「TO」 to make up it.

港名 (都道府県名)	PORT (DISTRICT)	コード／CODE
沼津 (静岡県)	NUMAZU (SHIZUOKA)	JP NUM
壬生川 (愛媛県)	NYUGAWA (EHIME)	JP NWA
大久保 (東京都)	OKUBO (TOKYO)	JP OKB
大間 (青森県)	OMA (AOMORI)	JP OAX
御前崎 (静岡県)	OMAEZAKI (SHIZUOKA)	JP OMZ
大湊 (青森県)	OMINATO (AOMORI)	JP OMT
大村 (長崎県)	OMURA (NAGASAKI)	JP OMJ
大牟田 (福岡県)	OMUTA (FUKUOKA)	JP OMU
女川 (宮城県)	ONAGAWA (MIYAGI)	JP ONG
小名浜 (福島県)	ONAHAMA (FUKUSHIMA)	JP ONA
大根占 (鹿児島県)	ONEJIME (KAGOSHIMA)	JP ONE
鬼池 (熊本県)	ONIIKE (KUMAMOTO)	JP ONJ
大西 (広島県)	ONISHI (HIROSHIMA)	JP ONS
鬼脇 (北海道)	ONIWAKI (HOKKAIDO)	JP ONW
小野田 (山口県)	ONODA (YAMAGUCHI)	JP OND
尾道糸崎 (広島県)	ONOMICHIITOSAKI (HIROSHIMA)	JP ONX
鴛泊 (北海道)	OSHDOMARI (HOKKAIDO)	JP OSD
相良 (静岡県)	SAGARA (SHIZUOKA)	JP SGR
佐木 (広島県)	SAGI (HIROSHIMA)	JP SGJ
佐井 (青森県)	SAI (AOMORI)	JP SJA
西大寺 (岡山県)	SAIDAIJI (OKAYAMA)	JP SDZ
西郷 (島根県)	SAIGO (SHIMANE)	JP SAI
西条 (愛媛県)	SAJO (EHIME)	JP SAJ
境 (鳥取県・島根県)	SAKAI (TOTTORI・SHIMANE)	JP SMN
坂出 (香川県)	SAKAIDE (KAGAWA)	JP SKD
酒田 (山形県)	SAKATA (YAMAGATA)	JP SKT
坂手 (香川県)	SAKATE (KAGAWA)	JP SAT
崎戸 (長崎県)	SAKITO (NAGASAKI)	JP STO
様似 (北海道)	SAMANI (HOKKAIDO)	JP SAM
三本松 (香川県)	SANBONMATSU (KAGAWA)	JP SAN
寒川 (愛媛県)	SANGAWA (EHIME)	JP SAW
佐世保 (長崎県)	SASEBO (NAGASAKI)	JP SSB
島間 (鹿児島県)	SHIMAMA (KAGOSHIMA)	JP SIM
清水 (高知県)	SHIMIZU (KOCHI)	JP TSZ
清水 (静岡県)	SHIMIZU (SHIZUOKA)	JP SMZ
下田 (高知県)	SHIMODA (KOCHI)	JP SMO
下田 (静岡県)	SHIMODA (SHIZUOKA)	JP SMD
下津井 (岡山県)	SHIMOTSUI (OKAYAMA)	JP STI

入力時:コード入力前に「>」を入力してください。
「>」が入力できない場合は「TO」と入力してください。

港名 (都道府県名)	PORT (DISTRICT)	コード／CODE
瀬棚 (北海道)	SETANA (HOKKAIDO)	JP STN
瀬戸 (長崎県)	SETO (NAGASAKI)	JP SET
瀬戸田 (広島県)	SETODA (HIROSHIMA)	JP STD
柴山 (兵庫県)	SHIBAYAMA (HYOGO)	JP SBY
志布志 (鹿児島県)	SHIBUSHI (KAGOSHIMA)	JP SBS
七類 (島根県)	SHICHIRUI (SHIMANE)	JP SCR
志度 (香川県)	SHIDO (KAGAWA)	JP SID
重井 (広島県)	SHIGEI (HIROSHIMA)	JP SIG
島原 (長崎県)	SHIMABARA (NAGASAKI)	JP SMB
住ノ江 (佐賀県)	SUMINOE (SAGA)	JP SUM
洲本 (兵庫県)	SUMOTO (HYOGO)	JP SUH
須佐 (山口県)	SUSA (YAMAGUCHI)	JP SUS
須崎 (高知県)	SUSAKI (KOCHI)	JP SUZ
寿都 (北海道)	SUTTSU (HOKKAIDO)	JP STU
田平 (長崎県)	TABIRA (NAGASAKI)	JP TBR
橘 (徳島県)	TACHIBANA (TOKUSHIMA)	JP TBN
忠海 (広島県)	TADANOUMI (HIROSHIMA)	JP TDN
多度津 (香川県)	TADOTSU (KAGAWA)	JP TAD
田子の浦 (静岡県)	TAGONOURA (SHIZUOKA)	JP TGO
田井 (京都府)	TAI (KYOTO)	JP TAZ
平館 (青森県)	TAIRADATE (AOMORI)	JP TDT
大社 (島根県)	TAISYA (SHIMANE)	JP TIA
間人 (京都府)	TAIZA (KYOTO)	JP TZA
田後 (鳥取県)	TAJIRI (TOTTORI)	JP TJR
鳥羽 (三重県)	TOBA (MIE)	JP TOB
戸賀 (秋田県)	TOGA (AKITA)	JP TOJ
土肥 (静岡県)	TOI (SHIZUOKA)	JP TOI
十勝 (北海道)	TOKACHI (HOKKAIDO)	JP TOK
常滑 (愛知県)	TOKONAME (AICHI)	JP TXN
渡久地 (沖縄県)	TOKUCHI (OKINAWA)	JP TCC
徳島小松島 (徳島県)	TOKUSHIMA KOMATSUJIMA (TOKUSHIMA)	JP TKX
徳山下松 (山口県)	TOKUYAMA KUDAMATSU (YAMAGUCHI)	JP TXD
苫小牧 (北海道)	TOMAKOMAI (HOKKAIDO)	JP TMK
苫前 (北海道)	TOMAMAE (HOKKAIDO)	JP TJJ
富江 (長崎県)	TOMIE (NAGASAKI)	JP TME
富岡 (熊本県)	TOMIOKA (KUMAMOTO)	JP TMO
富岡 (徳島県)	TOMIOKA (TOKUSHIMA)	JP TOM
土庄 (香川県)	TONOSYO (KAGAWA)	JP TNO

At the time of entry : Enter 「>」 before proceeding to entry.
In case of can NOT enter 「>」, enter 「TO」 to make up it.

港名 (都道府県名)	PORT (DISTRICT)	コード／CODE
新宮 (和歌山県)	SHINGU (WAKAYAMA)	JP SHN
篠島 (愛知県)	SHINOJIMA (AICHI)	JP SNJ
白浜 (千葉県)	SHIRAHAMA (CHIBA)	JP SRX
尻屋岬 (青森県)	SHIRIYAZAKI (AOMORI)	JP SYZ
宍喰 (徳島県)	SHISHIKUI (TOKUSHIMA)	JP SIS
志津川 (宮城県)	SHIZUGAWA (MIYAGI)	JP SZG
静浦 (静岡県)	SHIZUURA (SHIZUOKA)	JP SZU
相馬 (福島県)	SOMA (FUKUSHIMA)	JP SMA
宿毛湾 (高知県)	SUKUMOWAN (KOCHI)	JP SUK
高田 (大分県)	TAKADA (OITA)	JP TKD
高松 (香川県)	TAKAMATSU (KAGAWA)	JP TAP
竹田津 (大分県)	TAKEDATSU (OITA)	JP TDJ
竹原 (広島県)	TAKEHARA (HIROSHIMA)	JP THR
滝 (石川県)	TAKI (ISHIKAWA)	JP TKI
詫間 (香川県)	TAKUMA (KAGAWA)	JP TKM
玉之浦 (長崎県)	TAMANOURA (NAGASAKI)	JP TMN
田辺 (和歌山県)	TANABE (WAKAYAMA)	JP TAE
垂水 (鹿児島県)	TARUMIZU (KAGOSHIMA)	JP TMZ
館山 (千葉県)	TATEYAMA (CHIBA)	JP TTY
手石 (静岡県)	TEISHI (SHIZUOKA)	JP TIS
寺泊 (新潟県)	TERADOMARI (NIIGATA)	JP TRD
天塩 (北海道)	TESHIO (HOKKAIDO)	JP TSO
手打 (鹿児島県)	TEUCHI (KAGOSHIMA)	JP TEU
天売 (北海道)	TEURI (HOKKAIDO)	JP TER
富島 (兵庫県)	TOSHIMA (HYOGO)	JP TJO
土々呂 (宮崎県)	TOTORO (MIYAZAKI)	JP TOT
鳥取 (鳥取県)	TOTTORI (TOTTORI)	JP TTJ
豊浜 (愛知県)	TOYOHAMA (AICHI)	JP TYJ
豊浜 (香川県)	TOYOHAMA (KAGAWA)	JP TYH
津 (三重県)	TSU (MIE)	JP TSU
津田 (香川県)	TSUDA (KAGAWA)	JP TUD
津居山 (兵庫県)	TSUIYAMA (HYOGO)	JP TYN
津久見 (大分県)	TSUKUMI (OITA)	JP TMI
津名 (兵庫県)	TSUNA (HYOGO)	JP TNA
角島 (山口県)	TSUNOSHIMA (YAMAGUCHI)	JP TNS
敦賀 (福井県)	TSURUGA (FUKUI)	JP TRG
鶴海 (岡山県)	TSURUMI (OKAYAMA)	JP TRU
都志 (兵庫県)	TSUSHI (HYOGO)	JP TSH

入力時:コード入力前に「>」を入力してください。
「>」が入力できない場合は「TO」と入力してください。

港名 (都道府県名)	PORT (DISTRICT)	コード／CODE
外浦 (宮崎県)	TONOURA (MIYAZAKI)	JP TON
津吉 (長崎県)	TSUYOSHI (NAGASAKI)	JP TYP
宇部 (山口県)	UBE (YAMAGUCHI)	JP UBJ
内海 (香川県)	UCHINOMI (KAGAWA)	JP UCN
内之浦 (鹿児島県)	UCHINOURA (KAGOSHIMA)	JP UUR
内海 (宮崎県)	UCHIUMI (MIYAZAKI)	JP UCH
内浦 (福井県)	UCHIURA (FUKUI)	JP UCU
宇久須 (静岡県)	UGUSU (SHIZUOKA)	JP UGU
宇治山田 (三重県)	UJIYAMADA (MIE)	JP UJY
宇久井 (和歌山県)	UKUI (WAKAYAMA)	JP UKI
宇野 (岡山県)	UNO (OKAYAMA)	JP UNO
宇島 (福岡県)	UNOSHIMA (FUKUOKA)	JP UNS
運天 (沖縄県)	UNTEN (OKINAWA)	JP UNT
魚津 (富山県)	UOZU (TOYAMA)	JP UOZ
浦神 (和歌山県)	URAGAMI (WAKAYAMA)	JP URM
浦郷 (島根県)	URAGO (SHIMANE)	JP UAO
脇野沢 (青森県)	WAKINOSAWA (AOMORI)	JP WKW
稚内 (北海道)	WAKKANAI (HOKKAIDO)	JP WKJ
渡波 (宮城県)	WATANOHA (MIYAGI)	JP WAT
八重根 (東京都)	YAENE (TOKYO)	JP YNE
八木 (兵庫県)	YAGI (HYOGO)	JP YAG
八木 (岩手県)	YAGI (IWATE)	JP YGI
焼尻 (北海道)	YAGISHIRI (HOKKAIDO)	JP YGR
焼津 (静岡県)	YAIZU (SHIZUOKA)	JP YZU
山田 (岩手県)	YAMADA (IWATE)	JP YAD
山川 (鹿児島県)	YAMAGAWA (KAGOSHIMA)	JP YAM
山口 (山口県)	YAMAGUCHI (YAMAGUCHI)	JP YMG
柳井 (山口県)	YANAI (YAMAGUCHI)	JP YAN
安来 (島根県)	YASUGI (SHIMANE)	JP YSG
八代 (熊本県)	YATSUSHIRO (KUMAMOTO)	JP YAT
八幡浜 (愛媛県)	YAWATAHAMA (EHIME)	JP YWH

At the time of entry : Enter 「>」 before proceeding to entry.
In case of can NOT enter 「>」, enter 「TO」 to make up it.

港名 (都道府県名)	PORT (DISTRICT)	コード／CODE
豆酏 (長崎県)	TSUTSU (NAGASAKI)	JP TST
浦河 (北海道)	URAKAWA (HOKKAIDO)	JP URK
宇佐 (高知県)	USA (KOCHI)	JP USA
牛深 (熊本県)	USHIBUKA (KUMAMOTO)	JP UBK
牛窓 (岡山県)	USHIMADO (OKAYAMA)	JP USH
宇出津 (石川県)	USHITSU (ISHIKAWA)	JP UST
臼尻 (北海道)	USUJIRI (HOKKAIDO)	JP USJ
臼杵 (大分県)	USUKI (OITA)	JP USK
臼浦 (長崎県)	USUNOURA (NAGASAKI)	JP USU
内海 (愛知県)	UTSUMI (AICHI)	JP UTM
宇和島 (愛媛県)	UWAJIMA (EHIME)	JP UWA
和田 (福井県)	WADA (FUKUI)	JP WDA
輪島 (石川県)	WAJIMA (ISHIKAWA)	JP WJM
和歌山下津 (和歌山県)	WAKAYAMASHIMOTSU (WAKAYAMA)	JP WAK
若津 (福岡県)	WAKATSU (FUKUOKA)	JP WKT
脇岬 (長崎県)	WAKIMISAKI (NAGASAKI)	JP WKI
呼子 (佐賀県)	YOBUKO (SAGA)	JP YBK
余市 (北海道)	YOICHI (HOKKAIDO)	JP YIC
四日市 (三重県)	YOKKAICHI (MIE)	JP YKK
横須賀 (神奈川県)	YOKOSUKA (KANAGAWA)	JP YOS
米子 (鳥取県)	YONAGO (TOTTORI)	JP YNG
吉田 (愛知県)	YOSHIDA (AICHI)	JP YDA
吉田 (愛媛県)	YOSHIDA (EHIME)	JP YSD
吉海 (愛媛県)	YOSHIMI (EHIME)	JP YHI
四倉 (福島県)	YOTSUKURA (FUKUSHIMA)	JP YOT
湯浅広 (和歌山県)	YUASAHIRO (WAKAYAMA)	JP YSH
由岐 (徳島県)	YUKI (TOKUSHIMA)	JP YUK
由良 (兵庫県)	YURA (HYOGO)	JP YRA
由良 (和歌山県)	YURA (WAKAYAMA)	JP YUR
由良 (山形県)	YURA (YAMAGATA)	JP YUJ

港内での進路を示すコード一覧表／List of Codes showing the course in port.

港の名称 Port		コード CODE	規則第11条に基づく進路信号 Course Signal of International Signal Frags	港内進路コード In-port Course Code	入力例 Example
目的港の港内又は境界付近で錨泊しようとする場合 For the case that the ship is going to anchor in the destination port of in the vicinity of the boundary.		—	—	OFF	>JP YOK OFF
釧路／KUSHIRO	JP KUH		2代(2nd Sub.)・1	1	>JP KUH 1
			2代(2nd Sub.)・2	2	>JP KUH 2
			2代(2nd Sub.)・3	3	>JP KUH 3
			2代(2nd Sub.)・4	4	>JP KUH 4
			2代(2nd Sub.)・5	5	>JP KUH 5
			上記以外の目的港内での進路 Purposes other than stated above course in the port	XX	>JP KUH XX
苫小牧／TOMAKOMAI	JP TMK		2代(2nd Sub.)・C	C	>JP TMK C
			2代(2nd Sub.)・N	N	>JP TMK N
			2代(2nd Sub.)・E	E	>JP TMK E
			2代(2nd Sub.)・S	S	>JP TMK S
			2代(2nd Sub.)・2・E	2E	>JP TMK 2E
			2代(2nd Sub.)・2・W 上記以外の目的港内での進路 Purposes other than stated above course in the port	2W XX	>JP TMK 2W >JP TMK XX
函館／HAKODATE	JP HKP		2代(2nd Sub.)・1	1	>JP HKP 1
			2代(2nd Sub.)・2・E	2E	>JP HKP 2E
			2代(2nd Sub.)・2・W	2W	>JP HKP 2W
			2代(2nd Sub.)・3	3	>JP HKP 3
			2代(2nd Sub.)・4・E	4E	>JP HKP 4E
			2代(2nd Sub.)・4・S 上記以外の目的港内での進路 Purposes other than stated above course in the port	4S XX	>JP HKP 4S >JP HKP XX
秋田船川 ／AKITAFUNAKAWA	JP AFG		2代(2nd Sub.)・N	N	>JP AFG N
			2代(2nd Sub.)・E	E	>JP AFG E
			2代(2nd Sub.)・E・N	EN	>JP AFG EN
			2代(2nd Sub.)・E・C	EC	>JP AFG EC
			2代(2nd Sub.)・E・S	ES	>JP AFG ES
			2代(2nd Sub.)・W 上記以外の目的港内での進路 Purposes other than stated above course in the port	W XX	>JP AFG W >JP AFG XX
鹿島／KASHIMA	JP KSM		2代(2nd Sub.)・O	O	>JP KSM O
			2代(2nd Sub.)・C・N	CN	>JP KSM CN
			2代(2nd Sub.)・C・S	CS	>JP KSM CS
			2代(2nd Sub.)・S・E	SE	>JP KSM SE
			2代(2nd Sub.)・S・W	SW	>JP KSM SW
			2代(2nd Sub.)・N・W 2代(2nd Sub.)・N・E 上記以外の目的港内での進路 Purposes other than stated above course in the port	NW NE XX	>JP KSM NW >JP KSM NE >JP KSM XX
千葉／ CHIBA	4区(緑分岐・緑分進路) No. 4 Div. (ANEGASA- KI-SODEGAWA)	JP ANE	—		>JP ANE
	葛南区 ／KATUNAN	JP FNB	2代(2nd Sub.)・F・S	FS	>JP FNB FS
			2代(2nd Sub.)・F・N	FN	>JP FNB FN
			2代(2nd Sub.)・I・W	IW	>JP FNB IW
			2代(2nd Sub.)・I・E 上記以外の目的港内での進路 Purposes other than stated above course in the port	IE XX	>JP FNB IE >JP FNB XX
	1区、2区、3区 ／No. 1,2,3 Div.	JP CHB	2代(2nd Sub.)・D	D	>JP CHB D
			2代(2nd Sub.)・C	C	>JP CHB C
			2代(2nd Sub.)・S	S	>JP CHB S
			上記以外の目的港内での進路 Purposes other than stated above course in the port	XX	>JP CHB XX
京浜／ KEIHIN	東京区／TOKYO	JP TYO	2代(2nd Sub.)・L	L	>JP TYO L
			2代(2nd Sub.)・M	M	>JP TYO M
			2代(2nd Sub.)・V	V	>JP TYO V
			2代(2nd Sub.)・H	H	>JP TYO H
			2代(2nd Sub.)・T	T	>JP TYO T
			2代(2nd Sub.)・A	A	>JP TYO A
			2代(2nd Sub.)・S	S	>JP TYO S
			2代(2nd Sub.)・R	R	>JP TYO R
			2代(2nd Sub.)・O	O	>JP TYO O
			2代(2nd Sub.)・C	C	>JP TYO C
			2代(2nd Sub.)・CW	CW	>JP TYO CW
			上記以外の目的港内での進路 Purposes other than stated above course in the port	XX	>JP TYO XX

港の名称 Port		コード CODE	規則第11条に基づく進路信号 Course Signal of International Signal Frags	港内進路コード In-port Course Code	入力例 Example
京浜／ KEIHIN	川崎区 ／KAWASAKI	JP KWS	1代(1st Sub.)・E	—	—
			1代(1st Sub.)・W	—	—
			2代(2nd Sub.)・S・U	SU	>JP KWS SU
			2代(2nd Sub.)・T・U	TU	>JP KWS TU
			2代(2nd Sub.)・I・U	IU	>JP KWS IU
			2代(2nd Sub.)・S・G	SG	>JP KWS SG
			2代(2nd Sub.)・D・U	DU	>JP KWS DU
			2代(2nd Sub.)・O・K	OK	>JP KWS OK
			2代(2nd Sub.)・O・T	OT	>JP KWS OT
			2代(2nd Sub.)・M・E	ME	>JP KWS ME
			2代(2nd Sub.)・T・D	TD	>JP KWS TD
			2代(2nd Sub.)・U・S	US	>JP KWS US
			2代(2nd Sub.)・H・O	HO	>JP KWS HO
			2代(2nd Sub.)・O・G 上記以外の目的港内での進路 Purposes other than stated above course in the port	OG XX	>JP KWS OG >JP KWS XX
	横浜区 ／YOKOHAMA	JP YOK	1代(1st Sub.)・E	—	—
			1代(1st Sub.)・W	—	—
			2代(2nd Sub.)・H・M	HM	>JP YOK HM
			2代(2nd Sub.)・Y	Y	>JP YOK Y
			2代(2nd Sub.)・O・S	OS	>JP YOK OS
			2代(2nd Sub.)・D	D	>JP YOK D
			2代(2nd Sub.)・D・S	DS	>JP YOK DS
			2代(2nd Sub.)・D・E	DE	>JP YOK DE
			2代(2nd Sub.)・D・N	DN	>JP YOK DN
			2代(2nd Sub.)・S・H	SH	>JP YOK SH
			2代(2nd Sub.)・K	K	>JP YOK K
			2代(2nd Sub.)・A・Z 2代(2nd Sub.)・O・N 2代(2nd Sub.)・A・U 2代(2nd Sub.)・S・U 上記以外の目的港内での進路 Purposes other than stated above course in the port	AZ ON AU SU XX	>JP YOK AZ >JP YOK ON >JP YOK AU >JP YOK SU >JP YOK XX
新潟／NIIGATA	JP KIJ		2代(2nd Sub.)・W	W	>JP KIJ W
			2代(2nd Sub.)・W・B	WB	>JP KIJ WB
			2代(2nd Sub.)・W・D	WD	>JP KIJ WD
			2代(2nd Sub.)・W・T	WT	>JP KIJ WT
			2代(2nd Sub.)・W・R	WR	>JP KIJ WR
			2代(2nd Sub.)・E 2代(2nd Sub.)・E・W 上記以外の目的港内での進路 Purposes other than stated above course in the port	E EW XX	>JP KIJ E >JP KIJ EW >JP KIJ XX
四日市／YOKKAICHI	JP YKK		1代(1st Sub.)・1	—	—
			1代(1st Sub.)・U	—	—
			1代(1st Sub.)・2	—	—
			2代(2nd Sub.)・I・S	IS	>JP YKK IS
			2代(2nd Sub.)・D・M	DM	>JP YKK DM
			2代(2nd Sub.)・C・E	CE	>JP YKK CE
			2代(2nd Sub.)・C・W	CW	>JP YKK CW
			2代(2nd Sub.)・T	T	>JP YKK T
			2代(2nd Sub.)・U	U	>JP YKK U
			2代(2nd Sub.)・K・W	KW	>JP YKK KW
			2代(2nd Sub.)・K・S	KS	>JP YKK KS
			2代(2nd Sub.)・K・E	KE	>JP YKK KE
			2代(2nd Sub.)・S・N	SN	>JP YKK SN
			2代(2nd Sub.)・S・W	SW	>JP YKK SW
			2代(2nd Sub.)・F	F	>JP YKK F
			2代(2nd Sub.)・A	A	>JP YKK A
			2代(2nd Sub.)・E	E	>JP YKK E
			2代(2nd Sub.)・W 上記以外の目的港内での進路 Purposes other than stated above course in the port	W XX	>JP YKK W >JP YKK XX

港の名称 Port		コード CODE	規則第11条に基づく道路信号 Course Signal of International Signal Frame	港内道路コード In-port Course Code	入力例 Example
名古屋／NAGOYA	JP NGO		1代(1st Sub.)・E	—	—
			1代(1st Sub.)・W	—	—
			2代(2nd Sub.)・E・1	E1	>JP NGO E1
			2代(2nd Sub.)・E・2	E2	>JP NGO E2
			2代(2nd Sub.)・E・3	E3	>JP NGO E3
			2代(2nd Sub.)・E・4	E4	>JP NGO E4
			2代(2nd Sub.)・E・5	E5	>JP NGO E5
			2代(2nd Sub.)・B・1	B1	>JP NGO B1
			2代(2nd Sub.)・B・2	B2	>JP NGO B2
			2代(2nd Sub.)・B・3	B3	>JP NGO B3
			2代(2nd Sub.)・B・4	B4	>JP NGO B4
			2代(2nd Sub.)・N・1	N1	>JP NGO N1
			2代(2nd Sub.)・N・2	N2	>JP NGO N2
			2代(2nd Sub.)・N・3	N3	>JP NGO N3
			2代(2nd Sub.)・N・4	N4	>JP NGO N4
			2代(2nd Sub.)・K・1	K1	>JP NGO K1
			2代(2nd Sub.)・K・2	K2	>JP NGO K2
			2代(2nd Sub.)・K・3	K3	>JP NGO K3
			2代(2nd Sub.)・W・1	W1	>JP NGO W1
			2代(2nd Sub.)・W・2	W2	>JP NGO W2
			2代(2nd Sub.)・W・3	W3	>JP NGO W3
			2代(2nd Sub.)・W・4	W4	>JP NGO W4
			2代(2nd Sub.)・W・5	W5	>JP NGO W5
			2代(2nd Sub.)・P・1	P1	>JP NGO P1
			2代(2nd Sub.)・S・1	S1	>JP NGO S1
			上記以外の目的港内での道路 Purposes other than stated above course in the port	XX	>JP NGO XX
阪神／ HAN-SHIN	堺泉北区／ SAKAISENBOKU	JP SBK	2代(2nd Sub.)・1	1	>JP SBK 1
			2代(2nd Sub.)・2	2	>JP SBK 2
			2代(2nd Sub.)・3	3	>JP SBK 3
			上記以外の目的港内での道路 Purposes other than stated above course in the port	XX	>JP SBK XX
	大阪区／OSAKA	JP OSA	2代(2nd Sub.)・H	H	>JP OSA H
			2代(2nd Sub.)・2・T	2T	>JP OSA 2T
			2代(2nd Sub.)・2・A	2A	>JP OSA 2A
			2代(2nd Sub.)・3・W	3W	>JP OSA 3W
			2代(2nd Sub.)・3・E	3E	>JP OSA 3E
			2代(2nd Sub.)・3・C	3C	>JP OSA 3C
			2代(2nd Sub.)・3・K	3K	>JP OSA 3K
			2代(2nd Sub.)・4・N	4N	>JP OSA 4N
			2代(2nd Sub.)・4・S	4S	>JP OSA 4S
			2代(2nd Sub.)・5	5	>JP OSA 5
			上記以外の目的港内での道路 Purposes other than stated above course in the port	XX	>JP OSA XX
	尼崎西宮芦屋区 AMAGASAKI/NISHI	JP AMX	—	—	>JP AMX
	神戸区／KOBE	JP UKB	2代(2nd Sub.)・K	K	>JP UKB K
			2代(2nd Sub.)・T	T	>JP UKB T
			2代(2nd Sub.)・N	N	>JP UKB N
			2代(2nd Sub.)・S・W	SW	>JP UKB SW
			2代(2nd Sub.)・P・W	PW	>JP UKB PW
			2代(2nd Sub.)・P・2	P2	>JP UKB P2
			2代(2nd Sub.)・P・E	PE	>JP UKB PE
			2代(2nd Sub.)・P・N	PN	>JP UKB PN
			2代(2nd Sub.)・S・E	SE	>JP UKB SE
			2代(2nd Sub.)・M・W	MW	>JP UKB MW
			2代(2nd Sub.)・M	M	>JP UKB M
			2代(2nd Sub.)・A	A	>JP UKB A
			2代(2nd Sub.)・E・1	E1	>JP UKB E1
			2代(2nd Sub.)・E・2	E2	>JP UKB E2
			2代(2nd Sub.)・R・N	RN	>JP UKB RN
			2代(2nd Sub.)・R・W	RW	>JP UKB RW
			2代(2nd Sub.)・R・S	RS	>JP UKB RS
			2代(2nd Sub.)・R・E	RE	>JP UKB RE
			2代(2nd Sub.)・R	R	>JP UKB R
			2代(2nd Sub.)・E・3	E3	>JP UKB E3
			2代(2nd Sub.)・F	F	>JP UKB F
			2代(2nd Sub.)・E・4	E4	>JP UKB E4
			上記以外の目的港内での道路 Purposes other than stated above course in the port	XX	>JP UKB XX
那覇／NAHA	JP NAH		1代(1st Sub.)・Y	—	—
			1代(1st Sub.)・T	—	—

港の名称 Port		コード CODE	規則第11条に基づく道路信号 Course Signal of International Signal Frame	港内道路コード In-port Course Code	入力例 Example
水島／MIZUSHIMA	JP MIZ		1代(1st Sub.)・M or 1代(1st Sub.)・P	—	—
			1代(1st Sub.)・T	—	—
			2代(2nd Sub.)・A	A	>JP MIZ A
			2代(2nd Sub.)・B	B	>JP MIZ B
			2代(2nd Sub.)・C	C	>JP MIZ C
			2代(2nd Sub.)・D	D	>JP MIZ D
			2代(2nd Sub.)・T・H	TH	>JP MIZ TH
			2代(2nd Sub.)・T・S	TS	>JP MIZ TS
			2代(2nd Sub.)・F・M	FM	>JP MIZ FM
			2代(2nd Sub.)・F・T	FT	>JP MIZ FT
			上記以外の目的港内での道路 Purposes other than stated above course in the port	XX	>JP MIZ XX
関門／ KAN-MON	智新港区／HIBIKISHINKO	JP HBK	—	—	>JP HBK
	新門司区／SHINMOJI	JP SMJ	—	—	>JP SMJ
	上記以外の港域 Sea areas other than HIBIKISHINKO and SHINMOJI	JP KNM	1代(1st Sub.)・E	—	—
			1代(1st Sub.)・W・A	—	—
			1代(1st Sub.)・W・S	—	—
			1代(1st Sub.)・W・M	—	—
			2代(2nd Sub.)・T	T	>JP KNM T
			2代(2nd Sub.)・U・W	UW	>JP KNM UW
			2代(2nd Sub.)・U	U	>JP KNM U
			2代(2nd Sub.)・U・S	US	>JP KNM US
			2代(2nd Sub.)・U・E	UE	>JP KNM UE
			2代(2nd Sub.)・M	M	>JP KNM M
			2代(2nd Sub.)・S	S	>JP KNM S
			2代(2nd Sub.)・N	N	>JP KNM N
			2代(2nd Sub.)・N・F	NF	>JP KNM NF
			2代(2nd Sub.)・K・A	KA	>JP KNM KA
			2代(2nd Sub.)・K・S	KS	>JP KNM KS
			2代(2nd Sub.)・K・H	KH	>JP KNM KH
			2代(2nd Sub.)・R	R	>JP KNM R
			2代(2nd Sub.)・R・S	RS	>JP KNM RS
			2代(2nd Sub.)・Y・O	YO	>JP KNM YO
			2代(2nd Sub.)・Y・R	YR	>JP KNM YR
			2代(2nd Sub.)・Y・K	YK	>JP KNM YK
			2代(2nd Sub.)・Y・D	YD	>JP KNM YD
			2代(2nd Sub.)・Y・B	YB	>JP KNM YB
			2代(2nd Sub.)・Y	Y	>JP KNM Y
			2代(2nd Sub.)・Y・E	YE	>JP KNM YE
			2代(2nd Sub.)・Y・W	YW	>JP KNM YW
			2代(2nd Sub.)・Y・N	YN	>JP KNM YN
			2代(2nd Sub.)・Y・X	YX	>JP KNM YX
			2代(2nd Sub.)・Y・H	YH	>JP KNM YH
			2代(2nd Sub.)・Z	Z	>JP KNM Z
			2代(2nd Sub.)・A	A	>JP KNM A
			2代(2nd Sub.)・J・C	JC	>JP KNM JC
			2代(2nd Sub.)・J・B	JB	>JP KNM JB
			2代(2nd Sub.)・C	C	>JP KNM C
			上記以外の目的港内での道路 Purposes other than stated above course in the port	XX	>JP KNM XX
博多／HAKATA	JP HKT		2代(2nd Sub.)・C	C	>JP HKT C
			2代(2nd Sub.)・P	P	>JP HKT P
			2代(2nd Sub.)・S	S	>JP HKT S
			2代(2nd Sub.)・E・1	E1	>JP HKT E1
			2代(2nd Sub.)・E・2	E2	>JP HKT E2
長崎／NAGASAKI	JP NMX		2代(2nd Sub.)・F	F	>JP NMX F
			2代(2nd Sub.)・1・E	1E	>JP NMX 1E
			2代(2nd Sub.)・1・W	1W	>JP NMX 1W
			2代(2nd Sub.)・1・B	1B	>JP NMX 1B
			2代(2nd Sub.)・2・E	2E	>JP NMX 2E
			2代(2nd Sub.)・2・W	2W	>JP NMX 2W
			2代(2nd Sub.)・3・N	3N	>JP NMX 3N
			2代(2nd Sub.)・3・E	3E	>JP NMX 3E
			2代(2nd Sub.)・4・E	4E	>JP NMX 4E
			2代(2nd Sub.)・4・W	4W	>JP NMX 4W
			上記以外の目的港内での道路 Purposes other than stated above course in the port	XX	>JP NMX XX
那覇／NAHA	JP NAH		2代(2nd Sub.)・N	N	>JP NAH N
			2代(2nd Sub.)・T	T	>JP NAH T
			2代(2nd Sub.)・S	S	>JP NAH S
			2代(2nd Sub.)・U	U	>JP NAH U
那覇／NAHA	JP NAH		上記以外の目的港内での道路 Purposes other than stated above course in the port	XX	>JP NAH XX

経由進路を示すコード一覧表／List of Codes showing other courses

経由進路	経由進路コード	入力例
港則法		
関門港を東口に向かって航行し、関門港(響新港区、新門司区を除く。)を通過又は出港しようとする船舶	E	>JP MIZ TS/E 水島港の玉島地区の係留施設に向かって航行する船舶であって、途中、関門港を東口に向かって航行して同港を通過しようとする船舶
関門港を西口の六連島東方に向かって航行し、関門港(響新港区、新門司区を除く。)を通過又は出港しようとする船舶	WM	>RU VVO/WM ウラジオストック港(ロシア)に向かって航行する船舶であって、途中、関門港を西口の六連島東方に向かって航行して同港を通過しようとする船舶
関門港を西口の馬島西方を通過して白州(白島)南方に向かって航行し、関門港(響新港区、新門司区を除く。)を通過又は出港しようとする船舶	WS	TO JP HKT 2/WS 博多港第2区の係留施設に向かって航行する船舶であって、途中、関門港西口の馬島西方を通過して白州(白島)南方に向かって航行して同港を通過しようとする船舶
関門港を西口の馬島西方を通過して藍島東方に向かって航行し、関門港(響新港区、新門司区を除く。)を通過又は出港しようとする船舶	WA	TO KR BUS/WA 韓国プサン港に向かって航行する船舶であって、途中、関門港西口の馬島西方を通過して藍島東方に向かって航行して同港を通過しようとする船舶
海上交通安全法		
東京湾の中ノ瀬海域で錨泊しようとする船舶	NNX	>JP YOK K/NNX 京浜港横浜第3区のJFEスチール東日本製鉄所岸壁に向かって航行する船舶であって、途中、東京湾内の中ノ瀬西方海域で錨泊しようとする船舶

Via—Route	CODE	Example of Input
in Port of KANMON		
Those ships that are sailing in KANMON Port heading for the East Exit and are passing by or leaving KANMON Port. (Excluding HIBIKI-SHINKO area and SHINMOJI area)	E	>JP MIZ TS/E Those ships that are sailing heading for the berthing facility in the TAMASHIMA area of MIZUSHIMA Port and are passing by KANMON Port after sailing into KANMON Port heading for the East Exit on the way.
Those ships that are sailing in KANMON Port heading for east of MUTSURE-SHIMA Is. at the West Exit and are passing by or leaving KANMON Port. (Excluding HIBIKI-SHINKO area and SHINMOJI area)	WM	>RU VVO/WM Those ships that are sailing for Vladivostok Port (Russia) and are passing by KANMON Port after sailing into KANMON Port heading for the east of MUTSURE-SHIMA Is.at the West Exit.
Those ships that are sailing in KANMON Port heading for south of SHIRA-SU shoal (SHIRO-SHIMA Is.) and passing by to the west of UMA-SHIMA Is. at the West Exit , and are passing by or leaving KANMON Port. (Excluding HIBIKI-SHINKO area and SHINMOJI area)	WS	TO JP HKT 2/WS Those ships that are sailing heading for berthing facility in No.2 division of HAKATA Port and are passing by KANMON Port after sailing passing by West Exit of KANMON Port and are passing by the port after sailing to south of SHIRA-SU shoal (SHIRO-SHIMA Is.)on the way.
Those ships that are sailing in KANMON Port heading for the east of AI-SHIMA after passing by to the west of UMA-SHIMA at the West Exit and are passing by or leaving KANMON Port. (Excluding HIBIKI-SHINKO area and SHINMOJI area)	WA	TO KR BUS/WA Those ships that are sailing heading for BUSAN Port (Korea) and are passing by KANMON Port after sailing into KANMON Port by west of UMA-SHIMA Is. at West Exit of KANMON Port and are passing by the Port after sailing heading for east of AI-SHIMA Is. on the way.
in Tokyo Bay		
Those ships that are going to anchor in the NAKANOSE sea area in Tokyo Bay.	NNX	>JP YOK K/NNX Those ships that are sailing heading for piea of East Japan Works of JFE Steel Corporation in YOKOHAMA area No.3 division of KEIHIN Port and are anchoring in the sea area to west of NAKANOSE in Tokyo Bay.

International Signal Flags






Fig.1

Sea Area near Entrance to Irago Suido Traffic Route




【Outline】

- ① Vessels which will navigate southward along Irago Suido Traffic Route should
 - Navigate in the area to the west side of Line A; and
 - Navigate by crossing Line C.
- ② Vessels which have navigated southward along Irago Suido Traffic Route should
 - Navigate in the area to the west of Line B; and
 - Navigate by crossing Line D.
- ③ Vessels which will navigate northward along Irago Suido Traffic Route should
 - Navigate in the area to the east of Line B; and
 - Navigate by crossing Line E.
- ④ Vessels which have navigated northward along Irago Suido Traffic Route should
 - Navigate in the area to the east of Line A; and
 - Navigate by crossing Line F.

Fig. 2

Position Report Line and Information Service Area



Not to be used for Navigation.
Refer to appropriate Navigation Charts.

Explanatory notes


— : Position Report Line

Code : Name of the Line

● : MARTIS and Radar site


Fig.3

Irago Suido Traffic route TRAFFIC SIGNAL STATION




Flashing “N”

A vessel of 130 meters and upward but less than 200 meters in length, which intends to navigate in the Irago Suido Traffic route southeast bound shall stand by outside of the traffic route.




Flashing “S”

A vessel of 130 meters and upwards but less than 200 meters in length, which intends to navigate in the Irago Suido Traffic route northwest bound shall stand by outside of the traffic route.



Alternating "N" and "S"

A vessel of 130 meters and upwards, but less than 200 meters in length which intends to navigate in the Irago Suido Traffic route shall stand by outside of the traffic route.



Fog on the Route

For inquiries, contact to

- **Ise Wan Vessel Traffic Service Center**

Address: Koyama 2814-38 Irigo-cho, Tahara City, Aichi Pref. 441-3624

Phone: 0531-34-2700, URL : <https://www6.kaiho.mlit.go.jp/isewan/>

- **The 4th Regional Coast Guard HQs**

Address: Irifune 2-3-12 Minato-ku, Nagoya City, Aichi Pref. 455-0032

Phone: 052-661-1611, URL : <https://www.kaiho.mlit.go.jp/04kanku/>

